



Safety Data Sheet

according to WHS Regulations

Printing date 30.03.2022

Revision: 30.03.2022

1 Identification

Product Name: Ultrasol® K Plus Acid (14-0-37-0)**Other Means of Identification:** Mixture**Recommended Use of the Chemical and Restriction on Use:** Agricultural fertiliser**Details of Manufacturer or Importer:**Australand Agriculture Pty Ltd
21 / 110 Inspiration Drive
Wangara, WA 6065**Phone Number:** +61 8 93039638**Emergency telephone number:** National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Flame over circle

Oxidising Solids 3 H272 May intensify fire; oxidiser.

Signal Word Warning**Hazard Statements**

H272 May intensify fire; oxidiser.

Precautionary Statements

P210 Keep away from heat. - No smoking.

P220 Keep/Store away from clothing/combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use CO2, powder or water spray for extinction.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

CAS: 4861-19-2	Urea phosphate salt	Skin Corrosion/Irritation 1B, H314	1-10%
----------------	---------------------	------------------------------------	-------

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if symptoms persist.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 30.03.2022

Revision: 30.03.2022

Product Name: Ultrasol® K Plus Acid (14-0-37-0)

(Contd. of page 1)

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure:

Inhalation: Dust can cause respiratory irritation.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of nitrogen, nitrates, phosphorus oxides and potassium oxides. Product is not flammable. However, it may intensify fire - oxidiser.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 1Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust. Extinguish all sources of ignition. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Spilled area should be wet down with water to reduce dust generation before cleanup. If unable to reuse or recycle, dispose of waste materials according to applicable local and state government regulations.

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other, non-combustible absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition. Keep away from strong acids, reducing agents, flammable or combustible materials.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 30.03.2022

Revision: 30.03.2022

Product Name: Ultrasol® K Plus Acid (14-0-37-0)

(Contd. of page 2)

8 Exposure Controls and Personal Protection

Exposure Standards:
Nuisance dust
WES | TWA: 10 mg/m³
Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Crystalline powder
Colour:	White
Odour:	Odourless
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Product is not flammable. However, it may intensify fire - oxidiser.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	Not applicable
Relative Density:	No information available
Vapour Density:	Not applicable
Evaporation Rate:	Not applicable
Solubility in Water:	Soluble
Partition Coefficient (n-octanol/water):	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: May cause or intensify fire; oxidiser.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 30.03.2022

Revision: 30.03.2022

Product Name: Ultrasol® K Plus Acid (14-0-37-0)

(Contd. of page 3)

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.**Conditions to Avoid:** Direct sunlight, heat, sparks, open flames and other sources of ignition.**Incompatible Materials:** Strong acids, reducing agents, flammable or combustible materials.**Hazardous Decomposition Products:** Oxides of nitrogen, nitrates, phosphorus oxides and potassium oxides.

11 Toxicological Information

Toxicity:**Acute Health Effects****Inhalation:** Dust may cause respiratory irritation.**Skin:** May cause skin irritation.**Eye:** May cause eye irritation.**Ingestion:** May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No data associated with long term health effects.**Existing Conditions Aggravated by Exposure:** No data available.

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** Low bioaccumulation potential.**Mobility in Soil:** Expected to be highly mobile when released into soil.**Other adverse effects:** May cause eutrophication at very low concentration.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 30.03.2022

Revision: 30.03.2022

Product Name: Ultrasol® K Plus Acid (14-0-37-0)

(Contd. of page 4)

14 Transport Information

UN Number ADG, IMDG, IATA	UN1486
Proper Shipping Name ADG, IMDG, IATA	POTASSIUM NITRATE mixture
Dangerous Goods Class ADG Class:	5.1
Packing Group: ADG, IMDG, IATA	III
Marine pollutant:	
EMS Number:	F-A,S-Q
Hazchem Code:	1Z
Special Provisions: Excepted quantities (EQ):	IMDG: 964, 967 E1
Limited Quantities:	5 kg
Packagings & IBCs - Packing Instruction:	P002, IBC08, LP02
Packagings & IBCs - Special Packing Provisions:	B3
Portable Tanks & Bulk Containers - Instructions:	T1, BK1, BK2, BK3
Portable Tanks & Bulk Containers - Special Provisions:	TP33

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 30.03.2022**Prepared by:** MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Oxidising Solids 3: Oxidising solids, Hazard Category 3

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 30.03.2022

Revision: 30.03.2022

Product Name: Ultrasol® K Plus Acid (14-0-37-0)

(Contd. of page 5)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Australand Agriculture Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.