

According to Safe Work Australia

Revision: 20.05.2016

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: 4FARMER GLUFOSINATE AMMONIUM 200 NON-SELECTIVE HERBICIDE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

4Farmers Australia Pty Ltd 70 McDowell Street Welshpool WA 6106

Phone Number: +61 8 9356 3446


Emergency telephone number: National Poison Information Centre: 13 11 26

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



H361 Suspected of damaging fertility or the unborn child. Repr. 2

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



P314

STOT SE 3 H336 May cause drowsiness or dizziness.

Signal Word Warning

Hazard Statements

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P308+P313 IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell. P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)

According to Safe Work Australia

Printing date 20.05.2016 Revision: 20.05.2016

Product Name: 4FARMER GLUFOSINATE AMMONIUM 200 NON-SELECTIVE HERBICIDE

(Contd. of page 1)

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:				
	Glufosinate ammonium (ISO) Repr. 1B, H360; STOT RE 2, H373; Acute Tox. (Oral) 4, H302; Acute Tox. (Dermal) 4, H312; Acute Tox. (Inhalation) 4, H332	20%		
	1-Methoxy-2-propanol [Monopropylene glycol methyl ether] ♦ Flam. Liq. 3, H226; ♦ STOT SE 3, H336	10-20%		

4. FIRST AID MEASURES

Inhalation

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and flush eye conitnuously with large amounts of water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. May cause drowsiness and dizziness.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: May be harmful if swallowed. Symptoms of poisoning may include: shivering, cramps, stomach complaints, overheating, breathing difficulty, heart problems, convulsions, respiratory depression, loss of memory, drowsiness and/or loss of consciousness. These symptoms may be delayed from a few hours up to 48 hours after ingestion.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen and phosphorous, hydrogen chloride and ammonia.

Product is not flammable.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

According to Safe Work Australia

Printing date 20.05.2016 Revision: 20.05.2016

Product Name: 4FARMER GLUFOSINATE AMMONIUM 200 NON-SELECTIVE HERBICIDE

(Contd. of page 2)

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area out of direct sunlight. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents, strong acids and strong bases. Do not store in steel or aluminium containers.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

107-98-2 1-Methoxy-2-propanol [Monopropylene glycol methyl ether]

NES STEL: 553 mg/m³, 150 ppm TWA: 369 mg/m³, 100 ppm

Engineering Controls:

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below the limits.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved organic vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Impervious elbow-length gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

According to Safe Work Australia

Printing date 20.05.2016 Revision: 20.05.2016

Product Name: 4FARMER GLUFOSINATE AMMONIUM 200 NON-SELECTIVE HERBICIDE

(Contd. of page 3)

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: Liquid Colour: Blue

Odour: Weak characteristic odour Odour Threshold: No information available

pH-Value at 23 °C: 4-6 (undiluted)

Melting point/Melting range: No information available

Initial Boiling Point/Boiling Range: < 100 °C

Flash Point: No information available Flammability: Product is not flammable.

Auto-ignition Temperature: 440 °C

Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information availableDensity:No information available

Relative Density at 20 °C: 1.11

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Wettable

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Extreme temperatures and direct sunlight.

Incompatible Materials: Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products:

Oxides of carbon, nitrogen and phosphorous, hydrogen chloride and ammonia.

11. TOXICOLOGICAL INFORMATION

Toxicity:

LD ₅₀ /LC ₅₀ Values Relevant for Classification:					
107-98-2 1-Methoxy-2-propanol [Monopropylene glycol methyl ether]					
Oral	LD ₅₀	5660 mg/kg (rat)			
Dermal	LD ₅₀	13000 mg/kg (rabbit)			
77182-82-2 Glufosinate ammonium (ISO)					
Oral	LD ₅₀	1910 mg/kg (rat) (female)			
		2170 mg/kg (rat) (male)			
Dermal	LD ₅₀	1400 mg/kg (rat) (male)			
		≥1380 mg/kg (rat) (female)			

(Contd. on page 5)

According to Safe Work Australia

Printing date 20.05.2016 Revision: 20.05.2016

Product Name: 4FARMER GLUFOSINATE AMMONIUM 200 NON-SELECTIVE HERBICIDE

(Contd. of page 4)

Inhalation $|LC_{50}/4 h| > 3.22 \text{ mg/L}$ (rat)

Acute Health Effects

Inhalation: May cause respiratory irritation. May cause drowsiness and dizziness.

Skin: May cause skin irritation. **Eye:** May cause eye irritation.

Ingestion:

May be harmful if swallowed. Symptoms of poisoning may include: shivering, cramps, stomach complaints, overheating, breathing difficulty, heart problems, convulsions, respiratory depression, loss of memory, drowsiness and/or loss of consciousness. These symptoms may be delayed from a few hours up to 48 hours after ingestion.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity:

Suspected of damaging fertility or the unborn child.

Glufosinate ammonium (ISO) is classified by Safe Work Australia as Toxic to Reproduction Category 2.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause drowsiness and dizziness.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for glufosinate ammonium for a human is 0.02 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 2.1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', June 2014).

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Glufosinate-ammonium is practically non-toxic to birds, earthworms, honeybees and other beneficial insects. LC50 (8 day dietary) >5000 mg/kg (japanese quail)

Glufosinate-ammonium is expected to be moderately toxic to wild animals.

Aquatic toxicity:		
77182-82-2 Glufosinate ammonium (ISO)		
EC₅₀/48 h	560-1000 mg/l (daphnia)	
LC ₅₀ /96 h	710 mg/l (rainbow trout)	
	>1000 mg/l (bluegill)	
LD_{50}	1000 mg/L (scenedesmus subspicatus)	
	37 mg/l (scenedesmus subspicatus)	

(Contd. on page 6)

According to Safe Work Australia

Printing date 20.05.2016 Revision: 20.05.2016

Product Name: 4FARMER GLUFOSINATE AMMONIUM 200 NON-SELECTIVE HERBICIDE

(Contd. of page 5)

Persistence and Degradability:

Product is considered readily biodegradable. Glufosinate-ammonium is very soluble in water and is hydrolytically and photolytically stable. It is rapidly degraded in surface levels of soils and in water.

Bioaccumulative Potential:

Glufosinate ammonium does not acumulate in the fatty tissues of fish or other animals.

Mobility in Soil: The potential for groundwater contamination with glufosinate ammonium is minimal.

Other adverse effects: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14. TRANSPORT INFORMATION

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

15. REGULATORY INFORMATION

Australian Inventory of Chemical Substances:			
107-98-2	1-Methoxy-2-propanol [Monopropylene glycol methyl ether]		
77182-82-2	Glufosinate ammonium (ISO)		

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16. OTHER INFORMATION

Date of Preparation or Last Revision: 20.05.2016

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅o: Lethal concentration, 50 percent

LD₅o: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. (Oral) 4: Acute toxicity, Hazard Category 4

Repr. 1B: Reproductive toxicity, Hazard Category 1B

Repr. 2: Reproductive toxicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. 4Farmers Australia Pty Ltd makes no representation of the accuracy or

(Contd. on page 7)

According to Safe Work Australia

Printing date 20.05.2016 Revision: 20.05.2016

Product Name: 4FARMER GLUFOSINATE AMMONIUM 200 NON-SELECTIVE HERBICIDE

(Contd. of page 6)

comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.