

according to WHS Regulations

Printing date 30.03.2022

1 Identification

Revision: 30.03.2022

Product Name: Sangral® 19-3-5-17+TE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural fertiliser

Details of Manufacturer or Importer: Australand Agriculture Pty Ltd 21 / 110 Inspiration Drive Wangara, WA 6065

Phone Number: +61 8 93039638

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Oxidising Solids 3 H272 May intensify fire; oxidiser.



Toxic To Reproduction 1B H360FD May damage fertility. May damage the unborn child.



Eye Irrit. 2A

H319 Causes serious eye irritation.

Signal Word Danger

Hazard Statements

H272 May intensify fire; oxidiser.

H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

Precautionary Statements

i loouullonuly old	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat No smoking.
P220	Keep/Store away from clothing/combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray for extinction.
P405	Store locked up.

Page 2/6

Safety Data Sheet

according to WHS Regulations

Printing date 30.03.2022

P501

Revision: 30.03.2022

Product Name: Sangral® 19-3-5-17+TE

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 7778-80-5 Potassium sulfate 3-65% CAS: 6484-52-2 Ammonium nitrate ① Eye Irrit. 2A, H319 1-40% CAS: 10043-35-3 Boric acid ③ Toxic To Reproduction 1B, H360FD 0.1-5.5%	nazardodo componente:			
	CAS: 7778-80-5	Potassium sulfate		3-65%
CAS: 10043-35-3 Boric acid Toxic To Reproduction 1B, H360FD 0.1-5.5%	CAS: 6484-52-2	Ammonium nitrate	🚯 Eye Irrit. 2A, H319	1-40%
	CAS: 10043-35-3	Boric acid	Toxic To Reproduction 1B, H360FD	0.1-5.5%

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact: In case of skin contact wash affected areas. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if symptoms persist.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

Symptoms Caused by Exposure:

Inhalation: Dust may cause respiratory irritation. Skin Contact: May cause skin irritation. Eye Contact: Causes serious eye irritation. Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of nitrogen, nitrites, phosphorus oxides and potassium oxides. Product is not flammable. However, it may intensify fire - oxidiser.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses. HAZCHEM Code: 1Y

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust. Extinguish all sources of ignition. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other, non-combustible absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

Page 3/6

Safety Data Sheet

according to WHS Regulations

Printing date 30.03.2022

Revision: 30.03.2022

Product Name: Sangral® 19-3-5-17+TE

(Contd. of page 2)

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition. Keep away from strong acids, reducing agents, flammable or combustible materials.

8 Exposure Controls and Personal Protection	
Exposure Standards:	
Nuisance dust	
WES TWA: 10 mg/m ³	

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	Crystalline powder
Colour:	Red
Odour:	Odourless
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Product is not flammable. However, it may intensify fire - oxidiser.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available

(Contd. on page 4)

according to WHS Regulations

Printing date 30.03.2022

Product Name: Sangral® 19-3-5-17+TE

Revision: 30.03.2022

(Contd. of page 3)

Page 4/6

Explosion Limits: Lower: No information available Upper: No information available Vapour Pressure: Not applicable No information available **Relative Density: Evaporation Rate:** Not applicable Solubility in Water: Soluble Partition Coefficient (n-octanol/water): No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: May cause or intensify fire; oxidiser.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight, heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong acids, reducing agents, flammable or combustible materials.

Hazardous Decomposition Products: Oxides of nitrogen, nitrites, phosphorus oxides and potassium oxides.

11 Toxicological Information

Toxicity:

LD50/LC50 Values: CAS: 6484-52-2 Ammonium nitrate Oral LD50 2,217 mg/kg (rat) CAS: 10043-35-3 Boric acid Oral LD50 >2,660 mg/kg (rat)

Acute Health Effects

Inhalation: Dust may cause respiratory irritation.

Skin: May cause skin irritation.

Eye: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: May damage fertility or the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

according to WHS Regulations

Printing date 30.03.2022

Product Name: Sangral® 19-3-5-17+TE

Revision: 30.03.2022

Page 5/6

(Contd. of page 4)

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 6484-52-2 A	mmonium	nitrate
------------------	---------	---------

EC50/48 h 447 mg/l (carp)

>490 mg/l (daphnia)

EC50/72 h 1,700 mg/l (algae)

CAS: 10043-35-3 Boric acid

EC50/48 h 133 mg/l (daphnia)

LC50/96 h 279 mg/l (fish)

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: Low bioaccumulation potential.

Mobility in Soil: Product is expected to be highly mobile in soil.

Other adverse effects: May cause eutrophication at very low concentration.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration: Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA	UN1477
Proper Shipping Name ADG, IMDG, IATA	NITRATES, INORGANIC, N.O.S.
Dangerous Goods Class ADG Class:	5.1
Packing Group: ADG, IMDG, IATA	III
Marine pollutant:	
EMS Number:	F-A,S-Q
Hazchem Code:	1Y
Special Provisions: Excepted quantities (EQ):	223 E1
Limited Quantities:	5 kg
Packagings & IBCs - Packing Instruction:	P002, IBC08, LP02
Packagings & IBCs - Special Packing Provision	s : B3

according to WHS Regulations

TP33

Printing date 30.03.2022

Product Name: Sangral® 19-3-5-17+TE

Portable Tanks & Bulk Containers - Instructions: T1

Portable Tanks & Bulk Containers - Special Provisions:

Provisions:

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 30.03.2022

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Oxidising Solids 3: Oxidising solids, Hazard Category 3

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Toxic To Reproduction 1B: Reproductive toxicity - Category 1B

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Australand Agriculture Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Revision: 30.03.2022

(Contd. of page 5)

Page 6/6

www.msds.com.au