

Product name: FONTELIS® Fungicide**Issue Date: 6.01.2021**

PRODUCTION AGRISCIENCE (AUSTRALIA) PTY LTD* encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product name: Fontelis® Fungicide**Recommended use of the chemical and restrictions on use****Identified uses:** End use fungicide product**COMPANY IDENTIFICATION**

PRODUCTION AGRISCIENCE (AUSTRALIA) PTY LTD
LEVEL 9, 67 ALBERT AVENUE
CHATSWOOD NSW 2067
AUSTRALIA

Customer Information Number:

1800-700-096

aucustomerservice@corveva.com

EMERGENCY TELEPHONE NUMBER**24-Hour Emergency Contact:** +61 2 9474 7350**Local Emergency Contact:** 1800-370-754**For advice, contact a doctor (at once) or the Australian Poisons Information Centre: 131 126****Transport Emergency Only Dial 000**

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Classification

Skin sensitisation – Category 1

Acute aquatic toxicity - Category 1

Chronic aquatic toxicity - Category 1

GHS label elements**Hazard pictograms**Signal word: **WARNING!**

Hazard statements

May cause an allergic skin reaction
Very toxic to aquatic life with long lasting effects.

Precautionary statements**Prevention**

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/ attention.
Wash contaminated clothing before re-use.
Collect spillage.
Dispose of contents/ container to an approved waste disposal plant

Other hazards

No data available

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS, IN ACCORDANCE WITH SCHEDULE 8

Component	CASRN	Concentration
Penthiopyrad	183675-82-3	20.35 %
White mineral oil (petroleum)	8042-47-5	40 - 50 %
Propane-1,2-diol	57-55-6	3 - 10 %
1,2-Benzisothiazol-3(2H)-one	2634-33-5	< 0.1 %
Balance	Not available	10 – 19.5 %

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice

Skin contact: Take off contaminated clothing and shoes immediately. Wash off immediately with soap and water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash contaminated clothing before re-use.

Eye contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, consult a specialist.

Ingestion: Call a poison control center or doctor for treatment advice. If victim is conscious: Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed: Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: Treat symptomatically. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5: FIREFIGHTING MEASURES

Hazchem Code: •3Z

Suitable extinguishing media: Water spray, Dry chemical, Carbon dioxide (CO₂), Foam.

Unsuitable extinguishing media: High volume water jet, (contamination risk).

Special hazards arising from the substance or mixture

Hazardous combustion products: Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Carbon oxides; Nitrogen oxides (NO_x); Sulphur oxides; Fluorinated compounds.

Unusual Fire and Explosion Hazards: No data available

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7, Handling, for additional precautionary measures. No smoking in area. Use self-contained breather apparatus and other appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

Methods and materials for containment and cleaning up: Contain spilled material if possible.
 Small spillage: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Never return spills in original containers for re-use.
 Large spillage: Prevent further leakage or spillage. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Large spills should be collected mechanically (remove by pumping) for disposal. Collect leaking liquid in sealable (metal/plastic) containers. Collect and contain contaminated absorbent and dike material for disposal. Contact Corteva Agriscience for clean-up assistance.

SECTION 7: HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

Precautions for safe handling: Keep away from heat and sources of ignition. Take measures to prevent the build-up of electrostatic charge. Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapour or mist. Wash thoroughly after handling. Wash contaminated clothing before re-use. Use with adequate ventilation. Containers, even those that have been emptied, can contain vapours. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Conditions for safe storage: Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store product in original container only in a location inaccessible to children and pets. Keep locked up or in an area accessible only to qualified or authorised persons. Keep in properly labelled containers. Keep in a dry, cool and well-ventilated place. Avoid extreme heat or cold. DO NOT store for prolonged periods in direct sunlight. Keep container closed when not in use. Observe label precautions.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
White mineral oil (petroleum)	AU OEL	TWA (mist)	5 mg/m ³
	ACGIH	TWA (inhalable fraction)	5 mg/m ³
Propane-1,2-diol	AU OEL	TWA (particulate)	10 mg/m ³
	AU OEL	TWA (Total vapour and particles)	150 ppm 474 mg/m ³

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Exposure controls

Engineering controls: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Individual protection measures

Eye/face protection: Use safety glasses (with side shields).

Skin protection

Hand protection Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Use chemical resistant gloves classified under standard AS/NZS 2161.10: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Waterproof gloves. When prolonged or frequently repeated contact may occur, a glove with a higher protection class may be required. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/ specifications provided by the glove supplier.

Other protection: Wear clean, body-covering clothing and a washable hat.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

The following should be effective types of air-purifying respirators: Organic vapour cartridge with a particulate pre-filter.

Other Information: Selection and use of personal protective equipment should be in accordance with the recommendations in one or more of the relevant Australian/New Zealand Standards, including:

AS/NZS 1336: Eye and face protection – Guidelines.

AS/NZS 1337: Personal eye protection - Eye and face protectors for occupational applications.

AS/NZS 1715: Selection, use and maintenance of respiratory protective equipment.

AS/NZS 2161: Occupational protective gloves.

AS/NZS 2210: Occupational protective footwear.

AS/NZS 4501: Occupational protective clothing Set

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	Liquid.
Colour	Off-white
Odour	Slight ester-like
Odour Threshold	No data available
pH	6.66 (10 g/L)
Melting point/range	Not applicable
Freezing point	No data available
Boiling point (760 mmHg)	No data available
Flash point - closed cup	> 105 °C
Evaporation Rate (Butyl Acetate = 1)	No data available
Flammability (solid, gas)	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour Pressure	No data available
Relative Vapour Density (air = 1)	No data available

Relative Density (water = 1)	0.9789
Water solubility	Dispersible
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	ca.385 °C
Decomposition temperature	No data available
Kinematic Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	Not oxidising
Molecular weight	No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No data available.

Chemical stability: Stable at typical use temperatures

Possibility of hazardous reactions: No dangerous reaction known under conditions of normal use. Polymerization will not occur.

Conditions to avoid: Protect from frost, heat and direct sunlight.

Incompatible materials: Avoid contact with: Oxidizers.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, Fluorinated compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.
LD50, Rat, > 5,000 mg/kg

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.
LD50, Rat, > 5,000 mg/kg

Acute inhalation toxicity

No adverse effects are anticipated from single exposure to mist. The substance or mixture has no acute inhalation toxicity.
LC50, Rat, 4 Hour, dust/mist, > 3.5 mg/l.

Skin corrosion/irritation

Rabbit: No skin irritation

Serious eye damage/eye irritation

Rabbit: No eye irritation.

Sensitization

Guinea pig: May cause sensitisation by skin contact.

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

Evaluation of available data suggests that this material is not classified as specific target organ toxicant, repeated exposure.

Carcinogenicity

For the active ingredient(s): Penthiopyrad. Not classifiable as a human carcinogen. The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions: A slight increased incidence in tumours was observed in animal studies. Liver. Thyroid.

For other ingredient(s). White mineral oil (petroleum). Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects.

For other ingredient(s). Propane-1,2-diol. Animal testing did not show any carcinogenic effects.

Reproductive toxicity

For the active ingredient(s): Penthiopyrad. Reproductive toxicity: No toxicity to reproduction

Teratogenicity: No toxicity to reproduction. The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions. Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

For other ingredient(s). White mineral oil (petroleum). Reproductive toxicity: No toxicity to reproduction. Animal testing showed no reproductive toxicity. No effects on or via lactation. Teratogenicity: Animal testing showed no developmental toxicity.

For other ingredient(s). Propane-1,2-diol. Reproductive toxicity: No toxicity to reproduction. Animal testing showed no reproductive toxicity. No effects on or via lactation. Teratogenicity: Animal testing showed no developmental toxicity.

For other ingredient(s). 1,2-Benzisothiazol-3(2H)-one. Reproductive toxicity: No toxicity to reproduction. Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.

Teratogenicity: Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity

Mutagenicity

For the active ingredient(s): Penthiopyrad. Animal testing did not show any mutagenic effects. Did not cause genetic damage in cultured bacterial cells. Genetic damage in cultured mammalian cells was observed in one laboratory test but was not observed in others.

For other ingredient(s). White mineral oil (petroleum). Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

For other ingredient(s). Propane-1,2-diol. Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

For other ingredient(s). 1,2-Benzisothiazol-3(2H)-one. Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard. No aspiration toxicity classification.

Other

For the active ingredient(s): Penthiopyrad. Repeated dose toxicity: No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification. The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions. Oral/multiple species: Reduced body weight gain, Liver effects, Thyroid effects, Spleen effects, Gallbladder effects, Liver enlargement, Immune system effects, altered blood chemistry, altered hematology, Organ weight changes, decreased spleen weight, increased liver weight

For other ingredient(s). White mineral oil (petroleum). Repeated dose toxicity:

Ingestion/Rat 90 d

NOAEL: 1,815 mg/kg

LOAEL: > 1,815 mg/kg

Method: OECD Test Guideline 408

No toxicologically significant effects were found.

Inhalation/Rat 28 d

NOAEL: 1.0 mg/l

Method: OECD Test Guideline 412

lung effects

Dermal/Rat 13 Weeks

NOAEL: > 2,000 mg/kg

LOAEL: 120 mg/kg

Method: OECD Test Guideline 411

Skin effects

For other ingredient(s). Propane-1,2-diol. Repeated dose toxicity:

Ingestion/Cat 94 d

NOAEL: 443 mg/kg

LOAEL: 4,239 mg/kg

No toxicologically significant effects were found.

Inhalation/Rat 90 d

NOAEL: > 2.2 mg/l

LOAEL: 0.16 mg/l

No toxicologically significant effects were found.

For other ingredient(s). 1,2-Benzisothiazol-3(2H)-one. Repeated dose toxicity: Oral/Rat: No toxicologically significant effects were found.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

Ecotoxicity**Acute and prolonged toxicity to fish**

LC50/96 h/Oncorhynchus mykiss (rainbow trout): 0.36 mg/l

Toxicity to aquatic plants

ErC50/72 h/Pseudokirchneriella subcapitata (green algae): > 2.1 mg/l

Method: OECD Test Guideline 201

Information source: Internal study report

Acute toxicity to aquatic invertebrates

EC50/48 h/Daphnia magna (Water flea): 0.060 mg/l

Chronic toxicity to aquatic invertebrates

NOEC/21 d: 0.01061 mg/l

Persistence and degradability

Not readily biodegradable. Estimation based on data obtained on active ingredient.

Bioaccumulative potential

Bioaccumulation is unlikely.

Mobility in Soil

No information available.

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Triple or preferably pressure rinse containers before disposal. Add rinsing's to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture, and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt. Do not re-use empty containers.

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: TRANSPORT INFORMATION

ADG

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Penthiopyrad)
UN number	UN 3082
Class	9
Packing group	III
Marine pollutant	Penthiopyrad

Classification for SEA transport (IMO-IMDG):

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Penthiopyrad)
UN number	UN 3082
Class	9
Packing group	III
Marine pollutant	Penthiopyrad
Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code	Consult IMO regulations before transporting ocean bulk

Classification for AIR transport (IATA/ICAO):

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Penthiopyrad)
UN number	UN 3082
Class	9
Packing group	III

Hazchem Code: •3Z**Further information:**

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packaging's that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197.

This information is not intended to convey all specific regulatory or operational requirements/ information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15: REGULATORY INFORMATION

Poison Schedule: S6**APVMA Approval Number:** 65510

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision

Identification Number: / A143 / Issue Date: 6.01.2021 / Replaces: 19.12.2019

Code: B12894457; DPX-LEM17 200 g/L SC

Sections amended: 1, 15, 16

Legend

ACGIH	American Conference of Governmental Industrial Hygienists
-------	---

AU OEL	Australia. Workplace Exposure Standards for Airborne Contaminants.
TWA	Exposure standard - Time weighted average

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

PRODUCTION AGRISCIENCE (AUSTRALIA) PTY LTD urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2021 Corteva.