

## SAFETY DATA SHEET

**CORTEVA AGRISCIENCE AUSTRALIA PTY LTD** 

Product name: SUCCESS® Neo Insecticide Issue Date: 09.09.2022

CORTEVA AGRISCIENCE AUSTRALIA PTY LTD encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

## SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product name: Success® Neo Insecticide

Recommended use of the chemical and restrictions on use

Identified uses: End use insecticide product

**COMPANY IDENTIFICATION** 

CORTEVA AGRISCIENCE AUSTRALIA PTY LTD LEVEL 9, 67 ALBERT AVENUE CHATSWOOD NSW 2067 AUSTRALIA

Customer Information Number: 1800-700-096

aucustomerservice@corteva.com

**EMERGENCY TELEPHONE NUMBER** 

**24-Hour Emergency Contact:** +61 2 9474 7350 **Local Emergency Contact:** 1800-370-754

For advice, contact a doctor (at once) or the Australian Poisons Information Centre: 131 126

**Transport Emergency Only Dial 000** 

## SECTION 2: HAZARD(S) IDENTIFICATION

#### **GHS Classification**

Acute aquatic toxicity - Category 2 Chronic aquatic toxicity - Category 2

## GHS label elements Hazard pictograms



Signal word: WARNING!

## **Hazard statements**

Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

#### Prevention

Avoid release to the environment.

#### Response

Collect spillage.

#### **Disposal**

Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

No data available

## SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS, IN ACCORDANCE WITH SCHEDULE 8

This product is a mixture			
Component	CASRN	Concentration	
Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)	935545-74-7	11.71 %	
Propylene glycol	57-55-6	< 10.0 %	

Note: Spinetoram is comprised of Spinetoram J (CAS # 187166-40-1) and Spinetoram L (CAS # 187166-15-0).

## **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

**General advice:** If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth-to-mouth use rescuer protection (pocket mask etc). Call a poison control centre or doctor for treatment advice.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control centre or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

**Ingestion:** No emergency medical treatment necessary.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Product name: SUCCESS® NEO Insecticide Issue Date: 09.09.2022

## Indication of any immediate medical attention and special treatment needed

**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

## **SECTION 5: FIREFIGHTING MEASURES**

Hazchem code: •3Z

**Suitable extinguishing media:** To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam.

Unsuitable extinguishing media: No data available

## Special hazards arising from the substance or mixture

**Hazardous combustion products:** Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds.

**Unusual Fire and Explosion Hazards:** This material will not burn until the water has evaporated. Residue can burn. If exposed to fire from another source and water is evaporated, exposure to high temperatures may cause toxic fumes.

#### Advice for firefighters

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire-fighting clothing (includes fire-fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12: Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

**Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Corteva Agriscience for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

# SECTION 7: HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

**Precautions for safe handling:** Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapour or mist. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**Conditions for safe storage:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

## SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

## **Control parameters**

Exposure limits are listed below, if they exist.

,				
Component	Regulation	Type of listing	Value/Notation	
Propylene glycol	US WEEL	TWA	10 mg/m3	
	AU OEL	TWA particulate	10 mg/m3	
	AU OEL	TWA Total (vapour and particles)	474 mg/m3 150 ppm	

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. <u>APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.</u>

#### **Exposure controls**

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

## Individual protection measures

Eye/face protection: Use safety glasses (with side shields).

Skin protection

Hand protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Use chemical resistant gloves classified under standard AS/NZS 2161.10: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). When prolonged or frequently repeated contact may occur, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to AS/NZS 2161.10) is recommended. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Wear clean, body-covering clothing.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions, no respiratory protection should be needed; however, in dusty atmospheres, use an approved particulate respirator.

The following should be effective types of air-purifying respirators: Organic vapour cartridge with a particulate pre-filter.

**Other Information:** Selection and use of personal protective equipment should be in accordance with the recommendations in one or more of the relevant Australian/New Zealand Standards, including:

AS/NZS 1336: Recommended practices for occupational eye protection.

AS/NZS 1337: Personal eye protection - Eye and face protectors for occupational applications.

AS/NZS 1715: Selection, use and maintenance of respiratory protective equipment.

AS/NZS 2161: Occupational protective gloves. AS/NZS 2210: Occupational protective footwear. AS/NZS 4501: Occupational protective clothing Set.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

Physical state Liquid.
Colour Off-white
Odour Musty

Odour Threshold No test data available

pH 7.15 1% pH Electrode (1% aqueous suspension)

Melting point/range Not applicable

Freezing point

Boiling point (760 mmHg)

Flash point – closed cup

Evaporation Rate (Butyl Acetate

No test data available

> 200 °C Closed Cup

No test data available

= 1)

Flammability (solid, gas)

Lower explosion limit

Upper explosion limit

No test data available

No test data available

Vapour Pressure Not applicable

Relative Vapour Density (air = 1) No test data available

Relative Density (water = 1) 1.025 at 20 °C Digital Density Meter (Oscillating Coil)

Water solubility Dispersible
Partition coefficient: n- No data available

octanol/water

**Auto-ignition temperature** > 400 °C *EC Method A15* Ramped Temperature

Decomposition temperatureNo test data availableKinematic ViscosityNo test data available

Explosive properties No

Oxidizing properties

No significant increase (>5C) in temperature

Liquid Density

1.025 g/cm3 at 20 °C Digital density meter

Molecular weight No test data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

Product name: SUCCESS® NEO Insecticide Issue Date: 09.09.2022

## **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical stability:** Thermally stable at typical use temperatures.

Possibility of hazardous reactions: Polymerization will not occur.

Conditions to avoid: Active ingredient decomposes at elevated temperatures.

Incompatible materials: None known.

**Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Toxic gases are released during decomposition.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicological information appears in this section when such data is available.

## **Acute toxicity**

#### **Acute oral toxicity**

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: LD50, Rat, female > 5,000 mg/kg.

#### **Acute dermal toxicity**

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: LD50, Rat, male and female > 5,000 mg/kg.

## Acute inhalation toxicity

No adverse effects are anticipated from single exposure to dust. Based on the available data, respiratory irritation was not observed.

As product: LC50, Rat, 4 Hour, Aerosol, > 5.04 mg/l.

## Skin corrosion/irritation

Brief contact is essentially non-irritating to skin.

## Serious eye damage/eye irritation

May cause slight eye irritation. Corneal injury is unlikely.

#### Sensitization

Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization: No relevant data found.

## Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

## Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s): In animals, has been shown to cause vacuolization of cells in various tissues. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use.

For the minor component(s): In animals, effects have been reported on the following organs after exposure to aerosols: Lung.

## Carcinogenicity

For the active ingredient(s): Did not cause cancer in laboratory animals.

## **Teratogenicity**

For the active ingredient(s): Did not cause birth defects or other effects in the foetus even at doses which caused toxic effects in the mother.

## Reproductive toxicity

For the active ingredient(s): In animal studies, did not interfere with reproduction.

#### Mutagenicity

In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

## **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

## **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicological information appears in this section when such data is available.

## **Ecotoxicity**

## Acute toxicity to fish

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

LC50, Lepomis macrochirus (Bluegill sunfish), semi-static test, 96 Hour, > 48.2 mg/l

## Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), semi-static test, 48 Hour, > 42.8 mg/l

## Acute toxicity to algae/aquatic plants

EC50, diatom Navicula sp., 72 Hour, Growth inhibition (cell density reduction), 1.098 mg/l

## **Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). Oral LD50, Colinus virginianus (Bobwhite quail), > 2250 mg/kg bodyweight.

Oral LD50, Apis mellifera (bees), 96 Hour, 0.32 micrograms/bee Contact LD50, Apis mellifera (bees), 96 Hour, 0.17 micrograms/bee

#### Toxicity to soil-dwelling organisms

LC50, Eisenia fetida (earthworms), 14 d, survival, > 8,560 mg/kg

#### Persistence and degradability

## Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)

**Biodegradability:** Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Fail

Biodegradation: 0.1 - 9.1 %

Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

#### Propylene glycol

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

10-day Window: Pass **Biodegradation:** 81 % **Exposure time:** 28 d

Method: OECD Test Guideline 301F or Equivalent

10-day Window: Not applicable

Biodegradation: 96 % Exposure time: 64 d

Method: OECD Test Guideline 306 or Equivalent

Theoretical Oxygen Demand: 1.68 mg/mg Chemical Oxygen Demand: 1.53 mg/mg Biological oxygen demand (BOD)

 Incubation Time
 BOD

 5 d
 69.0 %

 10 d
 70.0 %

 20 d
 86.0 %

**Photodegradation** 

Atmospheric half-life: 10 Hour

**Method:** Estimated.

#### **Balance**

Biodegradability: No relevant data found.

## Bioaccumulative potential

## Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log

Pow between 3 and 5).

Partition coefficient: n-octanol/water (log Pow): 4.49 at 20 °C

Bioconcentration factor (BCF): 348 Oncorhynchus mykiss (rainbow trout) 28 d

## Propylene glycol

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water (log Pow): -1.07 Measured

**Bioconcentration factor (BCF):** 0.09 Estimated.

## **Balance**

Bioaccumulation: No relevant data found.

## **Mobility in Soil**

#### Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)

Potential for mobility in soil is slight (Koc between 2000 and 5000).

## Propylene glycol

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): < 1 Estimated.

Product name: SUCCESS® NEO Insecticide Issue Date: 09.09.2022

#### Balance

No relevant data found.

## Results of PBT and vPvB assessment

## Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### Propylene glycol

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### **Balance**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

## Other adverse effects

## Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### Propylene glycol

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

## **Balance**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Disposal methods:** If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

## **SECTION 14: TRANSPORT INFORMATION**

**ADG** 

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Spinetoram)

UN number UN 3082

Class 9
Packing group III

Marine pollutant Spinetoram

Classification for SEA transport (IMO-IMDG):

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Spinetoram)

UN number UN 3082

Class 9
Packing group III

Marine pollutant Spinetoram

Transport in bulk Consult IMO regulations before transporting ocean bulk

according to Annex I or II of MARPOL 73/78 and the

**IBC or IGC Code** 

Classification for AIR transport (IATA/ICAO):

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Spinetoram)

UN number UN 3082

Class 9
Packing group III

Hazchem code: •37

#### Further information:

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packaging's that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197.

This information is not intended to convey all specific regulatory or operational requirements/ information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## **SECTION 15: REGULATORY INFORMATION**

Poison Schedule: S5

**APVMA Approval Number: 64109** 

## **SECTION 16: ANY OTHER RELEVANT INFORMATION**

#### Revision

Identification Number: 101197107 / A143 / Issue Date: 09.09.2022 / Replaces: 614.09.2021

DAS Code: GF-1587 Sections amended: 2

## Legend

	AU OEL	Australia. Workplace Exposure Standards for Airborne Contaminants.	
Ī	TWA	Exposure standard - time weighted average	
Ī	US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)	

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TDG - Transportation of Dangerous Goods; UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System.

CORTEVA AGRISCIENCE AUSTRALIA PTY LTD urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDS's, we are

Product name: SUCCESS® NEO Insecticide

Issue Date: 09.09.2022

not and cannot be responsible for SDS's obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 202 Corteva.